



Making our world more productive

Safety advice.

Compressed gases

Safety Data Sheet
VARIGON® N2.5
Issue Date: 01-Aug-2014
Revision No. 01
Revision Date: 01-January-2022
Version: 01

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	VARIGON® N2.5
UN-Number	UN 1956
Recommended Use	Compressed Gas for Gas Tungsten Arc Welding

Manufacturer's Registered Office	Oxygen House, P-43 Taratala Road, Kolkata - 700 088, India www.linde.in
----------------------------------	--

Telephone Number	(+91 33) 66021600
------------------	-------------------

24 Hour Emergency Contact Number	(+91) 9831851034
----------------------------------	------------------

Linde India Limited
Formerly known as BOC India Limited
Oxygen House, P-43 Taratala Road, Kolkata-700 088
Phone (+91 33) 66021600

2. HAZARDS IDENTIFICATION

WARNING	EMERGENCY OVERVIEW	
	Simple asphyxiant - this product does not contain oxygen and may cause suffocation if released in confined area. Maintain oxygen levels above 19.5%. Contents under pressure this line will be changed by High pressure compressed gas Keep at temperatures below 52°C / 125°F	
Appearance Colorless	Physical State compressed gas	Odor Odorless

Potential Health Effects

Principle Routes of Exposure Inhalation.

Acute Toxicity

Inhalation Simple asphyxiant. May cause suffocation by displacing the oxygen in the air. Exposure to oxygen deficient atmosphere (<19.5%) may cause dizziness, drowsiness, nausea, vomiting, excess salivation, diminished mental alertness, loss of consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen will bring about unconsciousness without warning and so quickly that the individuals cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury or death.

Eyes None known. Contact with rapidly expanding gas near the point of release may cause severe harm

Skin None known.

Skin Absorption Hazard No known hazard by skin absorption.

Ingestion Not an expected route of exposure.

Chronic Effects None known.

Aggravated Medical Conditions None known.

Environmental Hazard See Section 12 for additional Ecological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Volume %	Chemical Formula
Argon	7440-37-1	97.5	Ar
Nitrogen	7727-37-9	2.5	N ₂

4. FIRST AID MEASURES

Eye Contact None known. Contact with rapidly expanding gas near the point of release may cause severe harm.

Skin Contact None known.

Inhalation PROMPT MEDICAL ATTENTION IS MANDATORY IN ALL CASES OF INHALATION OVEREXPOSURE. RESCUE PERSONNEL SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS(SCBA). Conscious inhalation victims should be assisted to an uncontaminated area and inhale fresh air. If breathing is difficult, Administer oxygen under medical supervision / trained personnel supervision. Unconscious persons should be moved to an uncontaminated area and, as necessary, given artificial resuscitation and supplemental oxygen. Treatment should be symptomatic and supportive.

Linde India Limited
Oxygen House, P-43 Taratala Road, Kolkata-700 088
Phone (+91 33) 66021600

Ingestion None under normal use. Get medical attention if symptoms occur.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties Not flammable. Does not support combustion.

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Explosion Data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge None

Specific Hazards Arising from the Chemical Cylinders may rupture under extreme heat. Continue to cool fire- exposed cylinders until flames are extinguished. Damaged cylinders should be handled only by specialists.

Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Ensure adequate ventilation. Evacuate personnel to safe areas. Use personal protective equipment. Monitor oxygen level.

Environmental Precautions Prevent the spreading of vapors through sewers, ventilation systems, and confined areas.

Methods for Containment Stop the flow of gas or remove the cylinder to outdoor location if this can be done without risk. If a leak is in the container or container valve, contact the appropriate emergency telephone number in Section 1 or call your closest Linde location.

Methods for Cleaning Up Return cylinder to Linde India Ltd.

Other Information Ventilate the area.

7. HANDLING AND STORAGE

Handling Use only in ventilated areas. Never attempt to lift a cylinder by its valve protection cap. Protect cylinders from physical damage; do not drag, roll, slide or drop. When moving cylinders, even for short distances, use a trolley designed to transport cylinders. Use equipment rated for cylinder pressure. Use a backflow preventive device in the piping. Never insert an object (e.g. wrench, screwdriver, pry bar, etc.) into valve cap openings. Doing so may damage the valve, causing a leak to occur.

Close valve after each use and when empty. If the user experiences any difficulty operating the cylinder valve discontinue use and contact the supplier.

Never put cylinders into trunks of cars or unventilated areas of passenger vehicles. Never attempt to re-fill a compressed gas cylinder without the owner's written consent. Never strike an arc on a compressed gas cylinder or make a cylinder a part of an electrical circuit.

For additional recommendations consult rule number 20 of the Cylinders, Rules, 2016.

Storage Protect from physical damage. Cylinders should be stored upright with a valve protection cap in place and firmly secured to prevent falling. Store in a cool, dry, well-ventilated area of non-combustible construction away from high traffic areas and emergency exits. Keep at temperatures below 52°C / 125°F.

Linde India Limited
Formerly known as BOC India Limited
Oxygen House, P-43 Taratala Road, Kolkata-700 088
Phone (+91 33) 66021600

Full and empty cylinders should be segregated. Use a "First-In-First-Out" (FIFO) inventory system to prevent full cylinders from being stored for excessive periods of time. Always store and handle compressed gas cylinders in accordance with rule number 21 of Cylinders, Rules, 2016.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.

Engineering Measures Local exhaust ventilation to prevent accumulation of high concentrations and maintain air-oxygen levels at or above 19.5%.

Ventilation Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection Wear protective eyewear (safety glasses).

Skin and Body Protection Work gloves and safety shoes are recommended when handling cylinders.

Respiratory Protection

General Use No respiratory equipment is needed if workplace oxygen levels are kept above 19.5%.

Emergency Use Use positive pressure airline respirator with escape cylinder or self-contained breathing apparatus for oxygen-deficient atmospheres (<19.5%).

Hygiene Measures Handle in accordance with good industrial hygiene and safety practices.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colorless.	Odor	Odorless.
Odor Threshold	No information available.	Physical State	Compressed gas
Flash Point	Not applicable.	Autoignition Temperature	No information available.
Flammability Limits in Air			
Upper	Not applicable.		
Lower	Not applicable.		

The following information is for the INERT components of this mixture:

Chemical Name	Boiling Point	Melting Point	Molecular Weight	Evaporation Rate	Water Solubility	Vapor Pressure	Vapor Density (Air=1)	Gas Density Kg/m ³ @20°C
Nitrogen	-196.0°C	-210.0°C	28.01	-	0.023 (vol/vol @ 20°C and 1 atm)	Above critical temperature	0.97	1.16
Argon	-185.9°C	-189.4°C	39.94	-	0.056 (vol/vol @ 0°C and 1 atm)	Above critical temperature	1.38	1.65

10. STABILITY AND REACTIVITY

Stability Stable.

Incompatible Products None known.

Conditions to Avoid None known.

Linde India Limited
Oxygen House, P-43 Taratala Road, Kolkata-700 088
Phone (+91 33) 66021600

Hazardous Decomposition	None known.
Hazardous Polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information

LD50 Oral:	No information available.
LD50 Dermal:	No information available.
LC50 Inhalation:	No information available.
Repeated Dose Toxicity	No information available.
Component Information	No information available.

Toxicity

Chronic Toxicity	None known.
Carcinogenicity	Contains no ingredient listed as a carcinogen.
Irritation	No information available
Sensitization	No information available
Reproductive Toxicity	No information available
Developmental Toxicity	Oxygen deficiency during pregnancy has produced developmental abnormalities in humans and experimental animals.
Synergistic Materials	None known
Target Organ Effects	None known

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Ozone depletion potential; ODP; (R-11 = 1): Does not contain ozone depleting chemical.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods	Do not attempt to dispose of residual waste or unused quantities. Return in the shipping container PROPERLY LABELED WITH ANY VALVE OUTLET PLUGS OR CAPS SECURED AND VALVE PROTECTION CAP IN PLACE to Linde India Ltd for proper disposal.
Contaminated Packaging	Do not re-use empty containers.

Linde India Limited
 Formerly known as BOC India Limited
 Oxygen House, P-43 Taratala Road, Kolkata-700 088
 Phone (+91 33) 66021600

14. TRANSPORT INFORMATION

Proper Shipping Name	Compressed gas, Non-flammable, n.o.s.
Hazard Class	2.2
Subsidiary Class	None
UN-No	UN1956
Description	UN1956, Compressed gas, Non-flammable, n.o.s. (Argon, Nitrogen), 2.2

15. REGULATORY INFORMATION

Labeling of cylinders:	Label 2.2 : non-flammable gas.
Risk phrases:	RAs Asphyxiate in high concentrations.
Safety phrases:	S9 Keep container in a well-ventilated place. S23 Do not breathe gas.

16. OTHER INFORMATION

General:	Ensure all national / local regulations are observed. The hazard of asphyxiation is often overlooked and must be stressed during operator training.
Document Information:	In preparing this document help has been taken from MSDS for Linde (US)

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s). The information contained in this document only covers the hazards presented by this material, it does not constitute a work place risk assessment.

End of Safety Data Sheet

Linde India Limited
Oxygen House, P-43 Taratala Road, Kolkata-700 088
Phone (+91 33) 66021600